

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("63256427" or "63091231")	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 15:36
L2	4613	(melt\$4 near5 filter\$4)	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 15:37
L3	115	(melt\$4 near5 filter\$4) near10 impurit\$4	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 15:37
L4	340	(melt\$4 near5 filter\$4) near10 (impurit\$4 or particle or particulate)	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 15:37
L5	50	(melt\$4 near5 filter\$4) near10 (impurit\$4 or particle or particulate) and extrud\$6	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 15:38
L6	29	(melt\$4 near2 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 15:38
L7	14	(melt\$4 near2 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 15:41

EAST Search History

L8	0	(melt\$4 near2 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene near ether or poly near arylene near ether or polyaryleneether)	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:39
L9	0	(melt\$4 near2 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene near ether or poly near arylene near ether or polyaryleneether) and (poly near alkenyl or polyalkenyl) and aromatic	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:41
L10	0	(melt\$4 near2 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene near ether or poly near arylene near ether or polyaryleneether)	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:41
L11	19	(melt\$4 near5 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:41
L12	0	(melt\$4 near5 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene near ether or poly near arylene near ether or polyaryleneether) and (poly near alkenyl or polyalkenyl) and aromatic	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:42


EAST Search History

L13	0	(melt\$4 near5 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene near ether or poly near arylene near ether or polyaryleneether) and (poly near alkenyl or polyalkenyl)	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:42
L14	0	(melt\$4 near5 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene near ether or poly near arylene near ether or polyaryleneether)	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:42
L15	0	(melt\$4 near5 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene near ether or poly near arylene near ether or polyarylene near ether)	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:42
L16	0	(melt\$4 near5 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene or poly near arylene or polyarylen\$4)	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:43
L17	0	(melt\$4 near5 (filter\$4 or filtrat\$4)) near10 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene or poly near arylene or polyaryl\$6)	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:43
L18	0	(melt\$4 near5 (filter\$4 or filtrat\$4)) near20 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene or poly near arylene or polyaryl\$6)	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:43

EAST Search History

L19	2	(melt\$4 near20 (filter\$4 or filtrat\$4)) near20 (impurit\$4 or particle or particulate) and extrud\$6 and blend\$4 and (polyarylene or poly near arylene or polyaryl\$6)	USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/09/18 15:43
-----	---	---	---	----	----	---------------------

[Sign in](#)

 [Web](#) [Images](#) [Video](#) ^{New!} [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 8 of about 9 for "**melt filtering**" **particle impurities particulate polymer** with **Safesearch on**.

Tip: Try removing quotes from your search to get more results.

[PDF] Originally published September 1996

File Format: PDF/Adobe Acrobat - [View as HTML](#)

relatively high loadings--30 to 50% by weight--with little effect on **polymer** physical properties. For the better grades of bismuth fillers, **particle** size ...

www.fostercomp.com/papers/docs/Specialty%20Medical%20Compounds.pdf -

[Similar pages](#)

Methods of preparing a polymeric material composite - Patent 7041780

The **particulate impurities** may be removed from the poly(arylene ether) immediately after the **polymer** is prepared, but before it is isolated or the ...

www.freepatentsonline.com/7041780.html - 200k - [Cached](#) - [Similar pages](#)

Specialty Compounds for Medical Applications: An Introduction (MPB ...

For the better grades of bismuth fillers, **particle** size ranges from 1 to 2 μm and grades with very low **impurities** are required for medical compounds; ...

www.devicelink.com/mpb/archive/96/09/003.html - 35k - [Cached](#) - [Similar pages](#)

Methods of purifying polymeric material patent invention

Visible **particulate impurities**, such as gels and carbonized polymeric ... **Particles** having sizes larger than about 50 micrometers can act as stress ...

[www.freshpatents.com/Methods-of-purifying-polymeric-material-](http://www.freshpatents.com/Methods-of-purifying-polymeric-material-dt20050303ptan20050046070.php?type=description)

dt20050303ptan20050046070.php?type=description - 75k - Supplemental Result -

[Cached](#) - [Similar pages](#)

Purified polymeric materials and methods of purifying polymeric ...

Visible **particulate impurities**, such as gels and carbonized polymeric ... rate desired as well as the degree of **particle** filtration that is desired

[www.freshpatents.com/Purified-polymeric-materials-and-methods-of-purifying-polymeric-](http://www.freshpatents.com/Purified-polymeric-materials-and-methods-of-purifying-polymeric-materials-dt20050324...)
materials-dt20050324... - 110k - Supplemental Result - [Cached](#) - [Similar pages](#)

[[More results from www.freshpatents.com](#)]

[PDF] Draft Postconsumer Resin Quality Assurance and Testing Protocol ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Alternatively, some of the wood can be removed by **melt filtering** with ... plastic is then sent to the shredder where the recycled plastic **particle** size is ...

www.ciwmb.ca.gov/Plastic/Quality/ResinQAGuide/Jun04Draft.pdf - [Similar pages](#)

[PDF] Recycling Postconsumer PVC Bottles: Technology and Market Development

File Format: PDF/Adobe Acrobat

mate **particle** size of the product fraction chosen. JOURNAL OF VINYL TECHNOLOGY, SEPTEMBER 1994, ... **Melt-filtering** and repelletizing PVC is not difficult if ...

doi.wiley.com/10.1002/vnl.730160314 - [Similar pages](#)

ScienceDirect - Progress in Polymer Science : Recycling of PVC

Some more investigations, such as variation of the concentration of filler and change of the **particle** size, were made to get further details about the ...

linkinghub.elsevier.com/retrieve/pii/S0079670002000369 - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 8 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Speed up the web. [Download the Google Web Accelerator](#).

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google